

About the Company



- Privately owned company with over 60 years of experience
- Headquartered in Losone, Switzerland
- Manufacturer of ultra-high performance fiber optic interconnects and assemblies


50 km

- "In-house" manufacturing of our products
- Working to tight tolerances, according to customer requirements



Striving for progress





1958

Structure of DIAMOND Group



DIAMOND Headquarters

- 13,500m² in 5 buildings,
 - including an ISO certified laboratory
- 220 employees
- ISO 9001:2015
- ISO 14001:2015
- REACH and RoHS compliant





DIAMOND Headquarters

Structure of DIAMOND Group – DIAMOND Germany



DIAMOND GmbH

- 1,712 m²
- 32 employees
- ISO 9001:2015
- ISO 14001:2015
- REACH and RoHS compliant



DIAMOND GmbH



Structure of DIAMOND Group – DIAMOND USA



DIAMOND USA

- 1,067m²
- 22 employees
- ISO 9001:2015
- ITAR compliant
- REACH and RoHS compliant






DIAMOND USA Inc.

Main Market Segments






Telecom

Industrial and Photonics

Space and Defense

DIAMOND SA Vertical Integration





ISO/IEC 17025 Accredited Test and Calibration Lab


Fiber Optic Laboratory

- Testing Laboratory for Fiber Optic Components
- Calibration Laboratory for Fiber Optic Measurement Instruments

Services offered

- Calibration Services
 - → Power meter instruments
 - → OTDR Instruments, SM and MM Modules
- Measurements & Tests
 - → Optical and Geometric Parameters
 - ➔ Mechanical tests
 - → Environmental tests
 - → High optical power tests







10 DIAMOND SA 27.11.2024

Our cleanrooms

Cleanroom IOS 5, ISO 6 and ISO 7

- according to norm DIN EN ISO 14644-1
- 800 m² cleanroom surface

Services offered

- Assembling
- Cleaning
- Drying
- Controlling
- Packaging

Products

- **Connector Sets**
- Pigtails / Patchcords
- Adapters
- Mechanical parts















Cleanroom ISO 6



DIAMOND ferrule technology

DIAMOND

The difference is in the details

Ceramic ferrule with titanium insert - Composite Ferrule

Advantages of Diamond ferrule technology:


- Ultra-tight tolerances for ferrule outer diameter
- Superior ultra <u>polishing</u>
- Fiber sizes from 80µm to 800µm with special drilling
- Multi-fiber ferrule of various form, configuration and size
- Active Core Alignment through plastic deformation of titanium



Active Core Alignment (ACA)








Technologies





Single channel interconnects





Multi-channel interconnects





Accessories / special assemblies







- Fully integrated product lifecycle services
 - Vertical Mechanical processing facility, plastic injection molding, ceramic production, electronics, assembly and logistics services
 - → Horizontal design, prototyping, NPI, mass production and supply chain services
- R&D design services
- Extensive experience of advanced product design and manufacturing for a wide range of applications



